

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
16 Personality Factor Questionnaire (16-PF)	Personality	16+	30	35-60 min per <i>Tests in Print</i> for admin time only
ABEL Screen	Sexual Interest	Adol +	120	Primarily forensic in nature; may not be covered
Achenbach System of Empirically Based Assessment			60	
Preschool Module	Behav Rating Scale	1.5-5	10	
Caregiver-Teacher Report Form	Behav Rating Scale	1.5-5	10	
Child Behavior Checklist (CBCL)	Behav Rating Scale	1.5-5	15	
Teacher Report Form	Behav Rating Scale	6-18	20	
Youth Self-Report (YSR)	Behav Rating Scale	11-18	20	
ACTeRS-ADD-H Comprehensive, Teachers Rating Scale	Behav Rating Scale	5 – 13	15	
Adaptive Behavior Assessment System (ABAS II)	Behav Rating Scale	0-89	30	
Adaptive Behavior Scale (ABS)	Developmental	3-18	30	
ADHD Rating Scale	Behav Rating Scale	4 – 18	15	
Adolescent Anger Rating Scale	Behav Rating Scale	11-19	15	
Adolescent Apperception Cards	Projective Personality	12 – 19	60	
Adult Behavior Checklist (ABCL)	Behav Rating Scale	18-89	30	Admin. Time 20 min. + 10 min. for scoring, interpretation, write up.
Adolescent Psychopathology Scale	Personality	Child-adult	60	
Alzheimer's Quick Test (AQT)	Neuro	Adult	10	
Amen System Checklist	Behav Rating Scale	Adult	15	
Animal Naming	Neuro	Child-adult	10	
Aphasia Screening Test (Reitan Indiana)	Neuro	5+	30	
Asperger's Syndrome Diagnostic Scales (ASDS)	Rating scale	5-18	20	
Attention Deficit Disorder Eval. Scales (ADDES)	Behav Rating Scale	5 – 18	15	
Attention-Deficit/Hyperactivity Disorder Test (ADHDT)	Behav Rating Scale	3-23	10	
Attention-Deficit Scales for Adults (ADSA)	Behav Rating Scale	17+	15	
Auditory Consonant Trigram Test (ACT)	Neuro, educational	16-69	15	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Auditory Continuous Performance Test	Attention; ADHD	6 – 11	30	
Australian Scale for Asperger’s Syndrome	Rating scale	Primary school	15	On-line, self scoring
Autism Diagnostic Interview (ADI-R)	Autism diagnosis	Mental age >2	60	90-150, should substitute for other measures
Autism Diagnostic Observation Scale (ADOS)	Rating scale	Toddler-Adult	60	
Basic Personality Inventory (BPI)	Personality Test	12+	35	
Battell Developmental Inventory	Developmental Assessment	0-7	30	
Battery for Health Improvement (BHI)	Personality Test	18-65	25-40	Relationships between psychopathology and pain
Bayley Scales of Infant Development	Development	1-42 months	60	
Beck Anxiety Inventory	Personality Test	17-80	15	
Beck Depression Inventory	Personality Test	17-80	15	
Beck Depression Inventory-II (BDI-II)	Personality Test	13 – 80	15	
Beck Hopelessness Scale (BHS)	Personality Test	17 – 80	15	
Beck Scale for Suicidal Ideation	Pers Rating Scale	17 – 80	15	
Beck Youth Inventory	Symptom Rating Scale	7-14	15	
Beery VMI (Test of Visual-Motor Integration)	Neuro/LD: Visual	3+	30	
Behavior Assessment System for Children (BASC)	Behav Rating Scale	4 - 18	30	
Behavior Rating Inventory of Executive Functioning (BRIEF)	Neuro	Child/adolescent	45	Versions for preschool and child/adolescent
Bender Visual Motor Gestalt Test	Neuro	4+	30	Neuro; not for personality assessment
Benton Facial Recognition Test	Neuro	6-74	30	
Benton Judgment of Line Orientation Test	Neuro	7+	20	
Benton Multilingual Aphasia Exam (BMAE)	Neuro	6-69	90	
Benton MAE Sentence Repetition	Neuro	6-69	15	
Benton MAE Token Test	Neuro	6-69	15	
Benton MAE: Visual Naming Test	Neuro	6-69	15	
Benton Right-Left Orientation Test	Neuro	16-64	10	
Benton Serial Digit Learning Test	Neuro	16-64	15	
Benton Visual Form Discrimination Test	Neuro	Adult	15	
Benton Visual Retention Test	Neuro	8+	30	
Booklet Categories Test	Neuro	15+	45	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Boston Diagnostic Aphasia Examination-3	Neuro	Adults	60	
Boston Naming Test	Neuro	Adults	30	
BRIEF (Behavior Rating Inventory of Executive Functioning)	Neuro/Educational	Child/adolescent	45	Versions for preschool and child/adolescent
Brief Neuropsychological Cognitive Exam	Neuro	13+	30	
Brief Symptom Inventory	Behav Rating Scale	13+	5	Short form of SLR-90-R.
Brief Test of Attention (BTA)	Attention Measure	17-82	15	
Brief Visuospatial Memory Test-Revised (BVRT-R)	Neuro	18-79	60	
Brown Attention-Deficit Disorder Scales	Behav Rating Scale	12+	15	
Burk's Behavior Rating Scale	Behav Rating Scale	Preschool	15	
Burt Word Reading	Educational	Child	5	
Buschke Selective Reminding Test	Neuro	5-91	30	
California Psychological Inventory (CPI)	Objective Personality Test	13+	30	
California Verbal Learning Test (CVLT)	Neuro: Memory/Learning	17+	45	Norms only on normal population
California Verbal Learning Test for Children (CVLT)	Neuro: Memory/Learning	5 – 16.1	45	
Carroll Depression Scale	Rating Scale	18+	15	
Category Test	Neuro	15+	45	
Child Bipolar Questionnaire (CBQ)	Behav Rating Scale	5-18	15	Juvenile onset bipolar rating scale- parent administered
Children's Apperception Test (CAT)	Projective Personality Test	3-10	60	
Children's Attention & Adjustment Survey (CAAS)	Behav Rating Scale	5 – 13	15	
Children's Atypical Development Scale	Rating Scale	Child	15	
Children's Auditory Verbal Learning Test-2 (CAVLT)	Neuro-Memory/Learning	6.5-18	45	
Children's Category Test (CCT)	Neuro	5 – 16	15	
Children's Depression Inventory (CDI)	Personality	7-17	15	
Children's Depression Rating Scale, Revised	Personality	6 – 12	15	
Children's Personality Questionnaire (CPQ)	Pers Inventory	8-12	30	
Children's Self Report Projective Inventory	Projective Personality Test	5-12	120	
Child Development Inventory-4	Development/Personality	15 mos.-6	60	
Child Symptom Inventory (CSI)	Rating Scale	6-12	15	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Childhood Autism Rating Scales (CARS)-2	Rating Scales	2+	15	
Childhood Trauma Questionnaire	Personality Scale	12+	15	
Clinical Evaluation of Language Fundamentals (CELF)-4	Neuro	5-21	30	
Children's Manifest Anxiety Scale Revised	Personality	6 – 19	15	
Children's Memory Scale (CMS)	Neuro	5 – 16	60	
Children's Personality Questionnaire	Personality	8-12	45	
Children's State-Trait Anxiety Inventory	Beh Rating scale	8 – 14	15	
Chronic Pain Battery	Pain adaptation	Adult	15	
Clock Drawing	Neuro	Not stated	15	
Cognistat	Neuro	18+	30	
Cognitive Abilities Scale II (CAS)	Neuro/Educational	5-18	60	60 for basic; 75 for standard
Cognitive Assessment System (CAS)	Neuro/educational	5-18	60	
Cognitive Coping Strategies Inventory-R	Rating Scale	Adult	15	
Color Trails Test	Neuro	Adult-Older Ad.	10	
Comprehensive Assessment of Spoken Language (CASL)	Neuro; Educational	3-21	60	45 for children 3-5
Comprehensive Behavior Rating Scale for Children (CBRSC)	Behav Rating Scale	6 – 14	15	
Comprehensive Test of Nonverbal Intelligence (CTONI)	Nonverbal test of Intelligence	6-19	60	
Comprehensive Test of Phonological Processing (CTOPP)	Neuro/Educational	5-24	45	
Comprehensive Trail Making Test (CTMT)	Neuro	8-74	15	
Computer Category Test	Neuro	15-80	45	
Computerized Assessment of Response Bias (CARB)	Neuro; Forensic	Adult	15	Effort, malingering
Conner's Adult ADHD Rating Scale (CAARS)	Behav Rating Scale	18+	15	
Conner's Continuous Performance Test II (CCPT)	Neuro	4+	60	
Conner's Continuous Performance Test, Kiddie Version (KCPT)	Neuro, Forensic	4-5	15	
Conner's Rating Scale-Teacher or Parent	Behav Rating Scale	3- 17	15	
Conner's Rating Scales-Revised	Behav Rating Scale	3 – 17	15	
Contextual Memory Test (CMT)	Neuro; educational	Adult	30	
Controlled Oral Word Association Test (COWAT or COWA)	Neuro; educational	16+	15	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Coping Responses Inventory (CRI)	Personality	12-90	20	
D2 Test of Attention	Attention	Child-Adult	10	
Delis-Kaplan Executive Functional Scale (D-KEFS)	Neuro: Exec	8-89	120	
Dementia Rating Scales (Mattis)	Neuro: Screen	65-81	60	
Depression and Anxiety in Youth Scale (DAY5)	Objective Personality	6-19	45	
Detailed Assessment of Posttraumatic Stress (DAPS)	Personality	18-91	60	
Detroit Test of Learning Aptitude (DTLA)-4	Intelligence	6-17	120	
Developmental Indicators for the Assessment of Learning (DIAL)-3	Educational; Neuro	3-7	40	
Developmental Profile II	Neuro; Educational	0-9.5	40	
Developmental Test of Visual Perception (DTVP)-2	Development; Neuro	4-9	45	
Devereau Scales of Mental Disorders	Personality	5-18	30	
Diagnostic Achievement Battery –2 (DAB2)	Academic achievement	6-14	60	Primarily educational; may not be covered
Diagnostic Assessment of Reading (DAR)	Neuro; Educational	5-Adult	30	
Differential Ability Sale (DAS)	Educational; Neuro	6-18	60	
Digit Vigilance Test	Neuro	20-80	20	
Dot Counting Test (DCT)	Neuro; Forensic	17+	15	Effort, malingering
Draw-a-Person (DAP)	Projective Personality	Child-Adult	15	
Dyadic Adjustment Scale	Personality	Adult	15	
Dyslexia Screening Instrument	Educational	6-21	20	
Early Childhood Attention Deficit Disorders Evaluation Scale (ECADES)	Beh Rating scale	2-7 F; 2-6.5 M	20	
Eating Inventory	Personality	17+	15	
Eating Disorder Inventory 2 (EDI-2)	Personality	12+	15	
Ender Multidimensional Anxiety Scales	Pers Rating Scale	13+	15	
Estimate of Risk of Adolescent Sexual Offense Recidivism (ERASOR)	Sex offender assessment	12-18	15	Forensic; may not be covered
Examining for Aphasia	Neuro	13 – adult	75	
Executive Control Battery (ECB)	Neuro	Not Specified	60	
Expressive One Work Vocabulary Test – Revised	Neuro	2-12	20	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Expressive Oral-Word Picture Vocabulary Test (EOPVT)	Neuro	2-80	15	
Family Apperception Test	Projective Personality Test	6 – 15	30	
Family Kinetic Drawing	Projective Personality Test	Child+	30	
Fear-Avoidance Beliefs Questionnaire (FABQ)	Back Pain Assessment	Not Specified	10	
Feelings, Attitudes and Behaviors Scale for Children	Behav Rating Scale	<12	10	
Finger Tapping Test (Electric or Manual)	Neuro	Child+	5	
Folstein Mini Mental Status	Neuro	Adult	15	Should be part of 90801 intake assessment rather than testing
Frontal Systems Behavior Scale	Neuro	18-95	25	
Fuld Object Memory Evaluation	Neuro: Memory	70-90	15	Geriatric
Fundamental Interpersonal Relations Orientation-Behavior (FIRO-B)	Personality	Adult	15	
General Ability Measure for Adults (GAMA)	Intelligence	18-80	45	
Gilliam Autism Rating Scale (GARS-2)	Rating scale	3-22	15	
Gilliam Asperger's Disorder Scale (GADS)	Rating scale	3-22	15	
Gordon Diagnostic System	Attention	4+	60	
Gray Oral Reading Test (GORT-R or GORT-3)	Educational	Child+	45	
Gray Silent Reading Test	Educational; Neuro	7-25	45	
Green Word Memory Test	Neuro	Not listed	30	
Grip Strength	Neuro	6+	5	
Grooved Pegboard	Neuro	5-89	10	
Guilford-Zimmerman Temperament Survey	Personality	16+	60	Assessment of normal personality rather than clinical assessment
Halstead Reitan Neuro Battery	Neuro Battery	Child+	N/A	See times for individual tests from this battery (6)
Hamilton Depression Inventory (HDI)	Symptom rating scale	18+	15	
Hamilton Rating Scale for Depression-Revised (Clinician Form)	Personality	18+	0	Part of MSE only
Hamilton Rating Scale for Depression-Revised (Self-Report)	Pers Rating Scale	18+	15	
Hand Test	Projective Personality	Adult	45	
Hare Psychopathy check list-R (PCL-R)	Personality	18+	150	
High School Personality Inventory	Personality	13+	30	
Holtzman Inkblot Test/Technique	Projective Personality	Child+	120	
Home Situations Questionnaire (HSQ, HSQ-R)	Beh Rating Scale	4-18	15	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Hooper Visual Organization Test (VOT)	Neuro psych	5+	30	
Hopkins Verbal Learning Test-R	Neuro	16-92	20	
House Tree Person (H-T-P)	Projective Personality	Child+	30	
Human Figure Drawings	Projective Personality	Child+	30	
Impact of Weight on Quality of Life Questionnaire (IWQOL)	Personality	Adult	15	Child version for ages 11-19
Incomplete Sentences Blank	Proj	Child+	15	
Independent Living Scales (ILS)	Neuro; Forensic	65+	45	Competency in performing ADLs
Integrated Visual and Auditory Continuous Performance Test (IVACPT)	Attention	6-96	60	
Jesness Inventory	Antisocial personality	8-adult	45	Personality for delinquent and conduct d/o, personality for delinquent and conduct d/o 8--adult
Jesness Inventory Revised (JI-R)	Antisocial personality	8-adult	60	Admin time- 20-30 min., however output is multidimensional and may take considerable time to interpret and integrate into other assessment data. http://www.mhs.com/product.aspx?gr=saf&prod=ji-r&id=resources
Jordon Left-Right Reversal Test-R	Neuro; Educational	5-12	20	
J-Soap Juvenile Sex Offender Assessment Protocol	Sex offender assessment	9-20	60	Forensic; may not be covered
Judgment of Line Orientation	Neuro	Adult	30	
Kaufman Brief Intelligence Test (K-BIT)	Intelligence	4-90	30	
Kaufman Adolescent and Adult Intelligence Test	Intelligence	11-85	90	
Kaufman Assessment Battery for Children (KABC)	Intelligence& Academic Skills	2.5-12.5	90	
Kaufman Functional Academic Skills Test (K-FAST)	Developmental	15-85	30	Adaptive behavior inventory. 15-25 for admin.
Kaufman Short Neuropsychological Assess Procedure (K-SNAP)	Neuro screen	11 – 85	30	
Kaufman Test of Education Achievement (K-TEA)	Educational	6-18	60	
Key-Math Diagnostic Arithmetic Test – Revised	Educational	5-14	80	
Kinetic Family Drawings (KFD)	Projective Personality	Child+	30	
Lateral Dominance Exam	Neuro	Child-Adult	25	
Learning Disabilities Diagnostic Inventory (LDDI)	Educational	8-18	30	
Leiter International Performance Scale Revised (Leiter-R)	Intelligence	2-20	60	
Louisville Behavioral Checklist	Beh Rating Scale	4-17	15	
Luria-Nebraska Neuropsych Battery	Neuro	13+	150	
Luria-Nebraska Neuropsych – Screen Version	Neuro	13+	30	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Luria-Nebraska Neuropsych Battery for Children	Neuro	8-12	150	
Luria-Nebraska Neuropsych for Children – Screen Version	Neuro	8-12	30	
Make a Picture Story	Projective Personality	Adolescent	60	
Marital Satisfaction Inventory-Revised (MSI-R)	Marital/Relationship	18 – 90	15	
Maryland Addictions Questionnaire (MAQ)	Chemical Dep	16+	15	
McCarthy Scales of Children's Abilities	Intelligence	2.6-8.6	90	
McGill Pain Inventory	Personality, pain coping	18+	15	
Memory Assessment Scales	Neuro	18-90	60	
Millon Adolescent Personality Inventory (MAPI)	Personality	13-18	60	
Millon Behavioral Medicine Diagnostic (MBMD)	Personality	18-85	30	Has bariatric norms
Millon Clinical Multiaxial Inventory-III (MCMI)	Personality	18+	60	
MicroCog Assessment of Cognitive Functioning	Neuro	18 – 89	60	
Millon Adolescent Clinical Inventory (MACI)	Personality	13-19	60	
Millon Adolescent Personality Inventory (MAPI)	Pers Inventory	13-19	60	
Millon Behavioral Health Inventory (MBH/MBHI)	Medical Coping Style	18+	60	
Millon Pre-Adolescent Clinical Inventory (M-PACI)	Pers Inventory	9-12	30	
Minnesota Multiphasic Pers. Inventory-2 (MMPI-2)	Personality	18+	60	
Minnesota Multiphasic Pers. Inventory-Adolesc. (MMPI-A)	Personality	13-18	60	Assumes 6 th grade reading level
Minnesota Test for Differential Diagnosis of Aphasia	Neuro	Adults	90	
Mooney Problem Check Lists	Personality	Jr. High-Adult	35	
Motor-Free Visual Perception Test	Neuro; Educational	4-8	25	
Mullen Scales of Early Learning	Neuro; Educational	Birth-68 months	15 (1yr)	25-35 (3yrs), 40-60 (5yrs)
Multidimensional Anxiety Scale for Children (MASC)	Pers Inventory	8-19	30	
Multidimensional Health Profile	Pers Inventory	18-90	15	
Multilingual Aphasia Examination (MAE)-3	Neuro	6-69	60	
Multiphasic Sex Inventory	Sex offender assessment	Adult	60	Versions for adolescent and adult males
Multiscore Depression Inventory for Children	Personality	8 – 17	15	
Multiscore Depression Inventory for Adolescents and Adults	Personality	17+	15	
Nelson-Denny Reading Test (Forms G and H)	Educational; Neuro	9-Adult	30	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
NEO Personality-R (NEO PI-R)	Personality	17+	30	
NEPSY (Developmental Neuropsychological Assessment)	Neuro	3-12	120	60 for pre-school; 120 for school age children
Neuropsychological Assessment Battery (NAB)	Neuro	18-97	240	6 different modules @ 40 minutes each
Neuropsychological Impairment Scale	Neuro screen	18 – 88	15	
Neuropsych Questionnaire (NPQ)	Neuro / Beh Rating Scale	Child-Adult	45	NPQ is a computer administered & scored questionnaire; developed and used in NC
Neuropsych Questionnaire Short Form (NPQ-SF)	Neuro / Beh Rating Scale	Child-Adult	10	NPQ Follow-up version
NICHQ Vanderbilt Assessment Scale	Beh Rating Scale	6-12	15	
Omni Personality Inventory	Pers Inventory	18-74	60	
Omni IV Personality Disorder Inventory	Pers Inventory	18-74	60	
Oral and Written Language Skills (OWLS)	Educational; Neuro	3-21	40	
Paced Auditory Serial Addition Task (PASAT: C)	Neuro: Attention	16+	45	
Pain Apperception Test	Pain disorders	Adult	15	
Pain Patient Profile (P3)	Pain disorders	17-76	15	
Parent-Child relationship Inventory (PCRI)	Prenatal Style	3 – 12	15	
Parenting Stress Index (PSI)	Parental Style	3 – 12	15	
Paulhaus Deception Scales	Personality	16+	15	Measures response distortion
Peabody Developmental Motor Scales and Activity Cards	Developmental	0 – 7	90	
Peabody Individual Achievement Test – Revised (PIAT-R)	Educational	5 – 18	75	
Peabody Picture Vocabulary Test – Revised (PPVT-R)	Intelligence; Educational	2.5-Adult	30	
Pediatric Attention Disorders Diagnostic Screener (PADDs)	Beh Rating Scale	6-12	60	Includes ratings scales and executive function measures
Personal Experience Inventory for Adolescents (PEI)	Chemical Dep	12 – 18	15	
Personal Experience Inventory for Adults (PEI-A)	Chemical Dep	19+	30	
Personality Assessment Inventory (PAI)	Personality	18+	60	
Personality Inventory for Children-R	Personality	3-16	30	
Personality Inventory for Youth (PIY)	Pers Inventory	9-19	30	
Personality Research Form (PRF)	Personality	11+	60	
PHASE	Sex offender assessment	Not Specified	30	Forensic; may not be covered, sexual attitudes
Philadelphia Head Injury Questionnaire	Neuro	Adult	15	
Piers-Harris Children's Self Anapt Scale	Personality	7-18	15	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Porteus Mazes	Intelligence; Neuro	3+	30	
Posttraumatic Stress Diagnostic Scale (PDS)	Personality	18-65	15	
Preschool Language Scale, 4 th Edition (PLS-4)	Educational; Neuro	0-6	60	
Problem Behavior Inventory	Pers Rating Scale	13+	15	
Problem Experiences Checklist	Personality	13 – 19	15	
Process Assessment of the Learner (PAL)-II	Educational	Grades K-6	30-60	W/all subtests, 1-6 min per subtest.
Progressive Figures Test	Neuro	5-8	15	
Projective Drawings	Personality	Child-Adult	30	
Psychological Screening Inventory	Personality	Adolescent-Adult	15	
Purdue Pegboard	Neuro	Child +	15	
QB Test	Attention/ADHD	6-55	60	
Quality of Life Inventory (QOLI)	Personality	17+	5	Not a clinical test but may be useful in some assessments (e.g. pain)
Quick Neurological Screening Test-2 (QNST-2)	Neuro	12 to adults	30	
Quotient Test of Attention	Attention	Child-Adult	60	
Raven's Progressive Matrices (all versions)	IQ/Neuro; Problem Solving	6.5+	45	
Receptive One Word Picture Vocabulary Test (ROWPVT)	Neuro	2-95	30	
Repeatable Battery for Assessment of Neuropsychological Status (RBANS)	Neuro	20-89	30	
Resiliency Scales for Children and Adolescents	Personality	9-18	30	
Revised Behavior Problem Checklist (RBPC)	Beh Rating Scale	5 – 18	15	
Revised Children's Manifest Anxiety Scale (RCMAS)-2	Personality	6-19	15	
Revised Token Test	Neuro ; Educational	20-80	30	
Rey Auditory Verbal Learning Test	Neuro	7-89	15	
Rey 15-Item Test—move to alphabetic order	Neuro, malingering	Adult	15	May be primarily forensic
Reynolds Adolescent Depression Scale-2	Personality	11-20	15	
Reynolds Adolescent Adjustment Screening Inventory	Personality	12-19	15	
Reynolds Child Depression Scale	Personality	7-12	15	
Reynolds Intellectual Assessment Scales (RIAS)	Intelligence	3-94	45	
Reynolds Intellectual Screening Test (RIST)	Intelligence	3-94	15	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Rey-Osterrieth Complex figure Test (RCFT)	Neuro		30	
Rivermead Behavioral Memory Test	Neuro	16-96	45	
Rivermead Perceptual Assessment Battery-III	Neuro	16-96	60	
Roberts Apperception Test for Children (RATC)	Projective Personality	6-15	60	
Rorschach	Projective Personality	Child+	120	Includes scoring
Rosenzweig Picture Frustration Study	Personality	14-85	30	
Rotter Incomplete Sentence Test	Projective Personality	Child+	60	
Risk-Sophistication-Treatment Inventory (RSTI)	Sex offender assessment	9-18	60	Forensic; may not be covered
Ruff 2 & 7 Selective Attention Test	Neuro	16-70	30	
Scales of Independent Behavior (Woodcock Johnson) (SIB)-R	Developmental	0-80	60	
SCAN-3C : Test for Auditory Processing Disorders in Children	Educational; Neuro	5-12	60	
Scholastic Abilities Test for Adults (SATA)	Educational; Neuro	16-70	60-120	
School Behavior Checklist	Beh Rating Scale	4 – 13	15	
School Motivation and Learning Strategies Inventory (SMLSI)	Beh Rating Scale	8-18	15	
School Situations Questionnaire (SSQ, SSQ-R)/Survey	Behavioral Rating Scale	6-12	15	
Screeener and Opioid Assessment for Patients with Pain- Revised (SOAPP-R)	Pain assessment	Adult	15	
Seashore Rhythm Test	Neuro: Perceptual	15+	20	
Sensory Profile	Neuro; Developmental	3-10	25	
Severe Impairment Battery (SIB)	Neuro	Adult	30	
Sexual Adjustment Inventory-Juvenile	Sex offender assessment	14-18	90	Forensic; may not be covered, norms 14-18
Sexual Attitude Questionnaire	Sex offender assessment	Teen +	15	Forensic; may not be covered, 40 items
Shipley Institute of Living Scale	Intelligence	14+	30	
Short Category Test, Booklet Format	Neuro: Problem Solving	15+	35	
Short Sensory Profile	Neuro; Developmental	3-10	15	
Sixteen Personality Factor Questionnaire (16PF)	Pers Inventory	16+	30	
Slosson Full-Range Intelligence Test (S-FRIT)	Intelligence	5 – 21	45	
Slosson Intelligence Test – Revised	Intelligence	4+	30	
Social Communication Questionnaire (SCQ)	Rating Scale	4+	15	For Autism Spectrum; requires mental age. 2
Social Phobia and Anxiety Inventory	Beh Rating Scale	14+	15	
Social Responsiveness Scale (SRS)	Beh Rating Scale	4-18	30	Autism spectrum symptom severity. Admin. time 15-20 min. produces

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
				several indicators and subscales.
Speech Sounds Perception Test	Neuro	9-Adult	30	
Structured Clinical Interview (SCID II Patient Questionnaire)	Beh Rating Scale	18+	30	Structured interview for DSM-IV-TR (or most current DSM) Axis II
Standardized Reading Inventory- 2 nd Edition (SRI-2)	Educational; Neuro	6-14	60	
requiresStanford Binet Intelligence Scale	Intelligence	2-adult	120	
State-Trait Anger Expression Inventory	Beh Rating Scale	12 – 67	15	
State-Trait Anxiety Inventory	Beh Rating Scale	15+	15	
Stroop Color Naming	Neuro: Attention	7+	20	
Substance Abuse Subtle Screening Inventory (SASSI)	Chemical Dep	12+	15	
Suicidal Ideation Questionnaire	Symptom rating scale	12 – 18	15	
Suicide Probability Scale	Personality	13+	15	
Survey of Teenage Readiness and Neurodevelopment Status (STRANDS)	Neuro; Developmental	13-19	60	
Symbol-Digit Modalities test	Neuro: Attention	6+	20	
Symptom Assessment 45 (SA-45)	Sex offender assessment	13+	15	Forensic; may not be covered
Symptom Checklist 90 Revised (SCL-90-R)	Symptom Checklist	13+	15	
Tactual Performance Task (TPT)	Neuro	5+	35	
Target Test	Neuro	5+	35	
Tasks of Emotional Development (TED)	Projective Personality	Approx 6-	60	
Taylor-Johnson Temperament Analysis	Personality/Marital	13+	30	
Tell-Me-A-Story (TEMAS)	Projective Personality	5 – 18	60	Minorities and non-minorities
Test of Auditory Analysis Skills (TAAS)	Educational	5-8	10	
Test of Auditory Comprehension of Language-3	Educational; Neuro	3-9	30	
Test of Auditory-Perceptual Skills (TAPS)-R	Educational	4-18	30	
Test of Early Math Ability (TEMA)	Educational	3-8	30	
Test of Early Reading Ability (TERA)-3	Educational	3-8.5	30	
Test of Emotional Development (TED)	Projective Personality	6+	20	
Test of Everyday Attention (TEA) (TEA-CH for children)	Attention	18 – 80	60	
Test of Language Competence-Expanded (TLC-E)	Educational	5-18	60+	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Test of Language Development – Primary (TOLD P:3)	Neuro/language/educational	4-8	60	
Test of Language Development – Intermediary (TOLD P:3)	Neuro/language/educational	8-12	60	
Test of Memory Malingering (TOMM)	Malingering/Effort	16+	15	
Test of Memory and Learning (TOMAL)	Neuro-Mem-LD	5-19.11	60	
Test of Nonverbal Intelligence-3 (TONI-3)	Intelligence	6 – 89	30	
Test of Pragmatic Language (TOPL)	Educational	6-18	45	
Test of Problem Solving (TOPS)	Educational; Neuro	6-11	25	
Test of Variables of Attention (TOVA)	Attention	4-80	60	
Test of Visual-Motor Integration (see Beery VMI)	Neuro; Developmental	3+	30	
Test of Visual –Motor Skills, Upper Level	Neuro: Educational	12 – 40	20	
Test of Visual-Motor Skills, Revised	Neuro: Educational	3 – 13	20	
Test of Visual-Perceptual Skills Revised (non-motor) (TVPS-3)	Neuro: Educational	4 – 13	30	
Test of Visual-Perceptual Skills Revised (non-motor) Upper Level (TVPS-3)	Neuro: Educational	12 – 18	20	
Test of Word Reading Efficiency (TOWRE)	Educational	6-25	15	
Test of Written Language (TOWL)-4	Educational	7-17	90	
Thematic Apperception Test (TAT)	Projective Personality	Adoles+	60	
Token Test (Revised Token Test, Token Test for children)	Neuro-Language	3+	30	
Tower of London	Neuro	Child-Adult	30	
Trail Making Test	Neuro; Attention	6-97	15	
Trauma Symptom Checklist for Children (TSC)	Personality	8 – 16	15	Young children version ages 3-12
Trauma Symptom Inventory (TSI)	Personality	18+	30	
Validity Indicator Profile (VIP)	Malingering	18-69	60	
Vineland Adaptive Behavior Scales (VABS)	Developmental	0-18.11	75	
Vineland Social-Emotional Early Childhood Scales	Emotional Developmental	5 – 11	30	
Visual–Motor Integration (VMI)	Neuro: Visual	3+	20	
Visual-Aural Digit Span Test	Neuro/LD; Memory	12+	20	
Wechsler Adult Intelligence Scale – III (WAIS-III)	IQ-Multitask	16-74	135	
Wechsler Adult Intelligence Scale – IV (WAIS-IV)	IQ-Multitask	16-74	135	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Wechsler Adult Intelligence Scale – Revised as a Neurological Instrument (WAIS-R NI)	IQ/Neuro	16-74	180	
Wechsler Abbreviated Scale of Intelligence (WASI)	IQ	16-74	60	May be appropriate for screening
Wechsler Individual Achievement Test (WIAT)	Academic Skills	12+	45	Screening version .5 hr.
Wechsler Individual Achievement Test for Children (WIAT)	Academic Skills	5-12	45	Screening version .5 hr.
Wechsler Intell Scale for Children (WISC-IV)	IQ-Multitask	6-16	135	
Wechsler Memory Scale – 3 rd Ed. (WMS-III)	Neuro: Memory	16 – 89	75	
Wechsler Preschool & Primary Scale of Intell. Rev (WPPSI-R)	IQ-Multitask	3-7	120	
Wechsler Test of Adult Reading (WTAR)	Educational	16-89	15	
Wender Utah Rating Scale	Beh Rating Scale	Adult	15	
Wepman Auditory Discrimination Test	Neuro/LD: Language	4-8	20	
Wepman’s Auditory Memory Battery	Memory-LD	5 – 8	15	
Western Aphasia Battery	Neuro: Language	Adol+	75	
Western Personality Inventory	Chemical Dep	18+	15	
Whitaker Index of Schizophrenic Thinking (WIST)	Symptom Screen	16+	15	8 th grade education and normal IQ
Wide Range Achievement Test – 3 rd Edition (WRAT-3)	Neuro/Educational	5+	30	
Wide Range Achievement Test – 4 th Edition (WRAT-4)	Neuro/Educational	5+	40/60	40 min for 5-7 yr olds/60 min for 8+; Admin time varies depending on the age of child: 15 to 25 minutes for ages 5 to 7 years and 35 to 45 minutes for ages 8+. 15 minutes added for scoring and write-up.
Wide Range Assessment of Memory & Learning (WRAML)	Neuro/Educational	5-17	60	10-15 minutes screening version available
Wide Range Assessment of Visual Motor Abilities (WRAVMA)	Neuro/Educational	3-17	45	
Wisconsin Card Sorting Test (WCST)	Neuro:	12+	45	Needs IQ or HALTEAD AS REFERENCE
Woodcock-Johnson Psychoeduca Battery (Achievement)	Academic Skills	2+	90	1.5 for Standard Battery/2.0 for Standard & Supp.
Woodcock-Johnson Psychoeduca Battery (Cognitive)	Cognitive/IQ	2+	90	1.5 for R Standard Battery/2.0 for Standard & Supp.
Woodcock Language Proficiency Battery-R	Language	2 – adult	60	
Woodcock Reading Mastery Tests-R	Academic Skills	5 – 75	60	
Working Memory Test Battery for Children	Neuro; Educational	5-15	60	Reported out of print effective 1/2011
Yale-Brown Obsessive Compulsive Scale	Personality	Adult	15	
Yale Food Addiction Scale	Personality	Adult	15	

List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Zung Depression Index	Rating Scale	Adult	5	

Purpose of Testing and Influence on Treatment

Diagnostic clarification; rule-out co-morbidities consistent with the American Academy of Child and Adolescent Psychiatry practice parameters regarding inclusion of objective screening measures from multiple sources.

Treatment planning; modalities to use, challenges likely to be faced in therapy, etc. Gather information to assess if medication is indicated.